## Standards for Use, according to Use Categories

## updated on Feb.3,2021

-The table below is an English translation and compilation of "the Standards for Use of Food Additives" issued by Minister for Health, Labour and Welfare, Government of Japan along with related information as reference materials for deepening the understanding of users. In case of any discrepancy between the Japanese original and the English translation, the former will take priority. It is recommended to refer to the official government documents when utilizing the contents of this table.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Acidifiers	Acetic Acid	All foods		
	Acetic Acid, Glacial			
	Adipic Acid	_		
	Citric Acid	-		
	Fumaric Acid	-		
	Gluconic Acid			
	Glucono−δ−Lactone			
	Lactic Acid			
	DL-Malic Acid			
	Succinic Acid			
	D-Tartaric Acid			
	DL-Tartaric Acid	_		
Anti-caking	Ferrocyanides of Calcium,	Salt	Individually or in	
0	Potassium and Sodium		combination,	
			0.020g/kg as anhydrous sodium	
			ferrocyanide	
Anti-foaming agent	Silicone resin	All foods	0.050 g/kg	Only for defoaming.
Anti-molding agents	Azoxystrobin		as maximum	
			residue limit	
		Citrus fruits (except for UNSHU orange)	0.010 g/kg	
	Difenoconazole	Potato Potato	0.007 g/kg 0.004g/kg	
	Diferiocoriazore		as maximum	
			residue limit	
	Diphenyl	Grapefruit Lemon	0.070 g/kg 0.070 g/kg	
		Orange	0.070 g/kg 0.070 g/kg	
	Fludioxonil	Kiwifruit	0.020 g/kg	
		Pineapple (except for crown bud)		
		Citrus fruits (except for UNSHU orange)	0.010 g/kg	
		Potato	0.0060 g/kg	
		Apple	0.0050 g/kg	
		Apricot (except for seeds) Avocado (except for seed)		
		Cherry (except for seeds)		
		Japanese plum (except for seeds) Loguat		
		Mango (except for seed)		
		Nectarine (except for seeds) Papaya		
		Pear		
		Peach (except for seeds) Pomegranate		
		Quince		
	Imazalil		as maximum	
		Banana	residue limit 0.0020 g/kg	
		Ganana Citrus fruits (except for UNSHU	0.0020 g/kg 0.0050 g/kg	
		orange)	5.0000 g/ ng	
			as maximum residue limit of <i>o</i> -	
	<i>o−</i> Phenylphenol	Citrus fruits	0.010 g/kg	
			U. 10	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use	
	Propiconazole	Citrus fruits(except for UNSHU	as maximum residu	ie limit	
		orange)	0.008g/kg		
		Apricot (eliminate seeds)	0.004g/kg		
		Nectarin (eliminate seeds)			
		Peach (eliminate seeds)			
		Cherry (eliminate peduncle and seed	s)		
		Japanese plum (eliminate seeds)	0.0006g/kg	-	
	Pyrimethanil		as maximum residu	l limit	
	Fyrinethanii				
		Apricot Cherry	0.010 g/kg		
		Citrus fruits ( excpt UNSHU orange)			
		Japanese plum (including prune) Peach			
		Apple	0.014 g/kg	-	
		Pear	0.014 g/ Ng		
		Quince			
	Thiabendazole		as maximum residu	ie limit	
		Banana (whole)	0.0030 g/kg		
		Banana (pulp)	0.0004 g/kg		
		Citrus fruits	0.010 g/kg		
Antioxidants	L-Ascorbic Acid	All foods			
	L-Ascorbyl Palmitate	1			
	L-Ascorbyl Stearate	1			
	Butylated Hydroxyanisole (BHA)		as BHA		
		Butter	0.2 g/kg		
		Fats & oils	0.2 g/kg	When BHA is used in combination with BHT, the	
				total amount of both shall r	
		Fish & shellfish (dried)	0.2 g/kg	exceed the corresponding	
		Fish & shellfish (salted)	0.2 g/kg	limit.	
		Fish & shellfish (frozen)	1 g/kg of dip		
		(except frozen products cosumed ra	aw)		
		Mashed potato (dried)	0.2 g/kg		
		Whale meat (frozen)	1 g/kg of dip		
		(except frozen products cosumed ra			
	Dutulated bludvenutelinese				
	Butylated Hydroxytoluene		as BHA	When BHA is used in	
	(BHT)	Butter	0.2 g/kg	combination with BHT, the	
		Chewing gum Fats & oils	0.75 g/kg 0.2 g/kg	total amount of both shall r exceed the corresponding	
		Fish & shellfish (dried)	0.2 g/kg 0.2 g/kg	limit.	
		Fish & shellfish (salted)	0.2 g/kg		
		Fish & shellfish (frozen)	1 g/kg of dip		
		(except frozen products			
		cosumed raw)			
		Mashed potato (dried)	0.2 g/kg		
		Whale meat (frozen)	1 g/kg of dip		
		(except frozen products cosumed raw)			
	Calcium L-Ascorbate	All foods			
	Calcium Disodium		as EDTA-CaNa2		
	Ethylenediaminetetraacetate	Canned and bottle non-alcoholic	0.035 g/kg		
		Other canned and bottle foods	0.25 g/kg		
	L-Cysteine Monohydro-	Bread			
	chloride	Fruit juice			
	Disodium Ethylene-		as EDTA-CaNa2	Shall be chelated with calci	
	diaminetetraacetate	Canned and bottle non-alcoholic beverages	0.035 g/kg	ino before the preparation of the finished food.	
		Other canned and bottled foods	0.25 g/kg	1	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Erythrobic Acid	Fish paste products (excluding SURIMI) Bread Other food		Not permitted for nutritive purposes in fish paste products (excluding SURIMI) or bread. Only for antioxidizing purposes in other foods.
	Isopropyl Citrate	Butter	as monoisopropyl citrate 0.10 g/kg	
		Fats and oils	0.10 g/kg	
	Guaiac Resin	Butter Fats and oils	1.0 g/kg 1.0 g/kg	
	Propyl Gallate	Butter Fats and oils	0.10 g/kg 0.20 g/kg	
	Sodium L-Ascorbate	All foods	0.20 g/ kg	
	Sodium Erythorbate	Fish paste products (excluding SURIMI) Bread Other food		Not permitted for nutritive purposes in fish paste products (excluding SURIMI) or bread. Only for antioxidizing purposes in other foods.
Antioxidants (continued)	dl−α-Tocopherol	All foods		only for antioxidizing, except when included in preparation of $\beta$ -Carotene, Vitamin A, Vitamin A Esters of Fatty Acids, or Liquid Paraffin.
Antisticking	D-Mannitol	Candies Chewing gum FURIKAKE (sprinkleover only products containing granues) RAKUGAN (dried rice-flour cakes) TSUKUDANI (food boiled down in soy sauce, only products made of KONBU (kelp)) All foods as CHOMIRYO (seasoning)	40% 20% 50 % of granules 30% 25 % (as maximum residue limit)	* When used in formula with Potassium Chloride and Glutamate for seasoning foods or enhancing their original flavor, no limits are specified. (only cases where D- Mannitol does not exceed 80 % of the sum of Potassium Chloride, Glutamates and D- Mannitol)
Bleaching agents Sterilizer	Hydrogen Peroxide	Whitebait simply scalded, Dried whitebait	less than 0.005g/kg(as maximum residue limit)	
		All foods		Shall be removed or decomposed before the preparation of the finished
Bleaching agents	Sodium Chlorite	Cherry Citrus fruits (limited to those for confectionary) FUKI Grape Peach		Shall be removed or decomposed before the preparation of the finished food.
		Eggs (limited to the part of egg shell Processed KAZUNOKO (Herring roe products) (except for dried KAZUNOKO and freezed KAZUNOKO) Vegetables dor direct consumption	0.50 g/kg dipping	
Sterilizer		Meat Meat products	0.50g~1.20g/kg dipping solution or spray liquid (as sodium chlorite)	dipping solution or spray liquid of pH 2.3 ~ 2.9 shall be used within 30 seconds, and shall be removed or decomposed before the preparation of the finished food.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Bleaching agents	Potassium Hydrogen Sulfite Solution	AMANATTO:dried candied beans	Residue limit of SO2 less than: 0.10 g/kg	Not permitted in
	Potassium Pyrosulfite	Candied cherry	0.30 g/kg	legumes/pulses, sesame
	Sodium Hydrogen	Dijon mustard	0.50 g/kg	seeds, or vegetables.
	Sulfite Solution	Dried fruits (excluding raisins)	2.0 g/kg	
	Sodium Hydrosulfite	Raisins	1.5 g/kg	When other foods (excluding
	Sodium Pyrosulfite	Dried potato	0.50 g/kg	KONNYAKU) manufactured or processed, using foods like
	Sodium Sulfite	Food molasses	0.30 g/kg	Dried fruits (excluding raisns)
	Sulfur Dioxide	Frozen raw crab	0.10 g/kg	listed in this section, in which an additive listed in the left
		Gelatin	0.50 g/kg	column is used, according to
		KANPYO: dried gourd strips	5.0 g/kg	the standards for use,
		KONNYAKU-KO:powdered konjac	0.90 g/kg	contain a residue of not less than $0.030 \text{ g/kg}$ as SO the
		Miscellaneous alcoholic beverages	0.35 g/kg	than 0.030 g/kg as $SO_2$ , the amount of residue shall be
		MIZUAME (starch syrup)	0.20 g/kg	the maximum residue limit.
		Natural fruit juice	0.15 g/kg	
		(confined to foods to be consumed in 5-fold or more dilution)		
		Prawn	0.10 g/kg	
		Simmered beans Tapioca starch for saccharification	0.10 g/kg 0.25 g/kg	
Placebing egente	Sulfur Dioxide	Wine (any kind of fruit wine,	0.25 g/kg 0.35 g/kg	
Bleaching agents (continued)	(continued)	excluding squeezed fruit juice containing alcohol of not less than 1% by volume which is used for manufacturing wine and a concentrate of the same.)	0.00 g/ kg	
		Other foods (excluding cherry used for candied cherry, hop used for brewing beer, fruit juice used for manufacturing wine, and squeezed fruit juice containing alcohol of not less than 1 % by volume, and and a concentrate of the same.)	0.030 g/kg	
Chewing gum bases	Ester Gum	Chewing gum		Only as chewing gum base.
	Polybutene			* Polyvinyl Acetate may also
	Polyisobutylene			be used as film-forming.
	Polyvinyl Acetate*			See the section, "Film- forming agents."
Color fixatives	Ferrous Sulfate	All foods		
	Potassium Nitrate		less than:	
		Meat products	0.070 g/kg	
		Whale meat bacon	0.070 g/kg	May be used as fermentation regulator. See the section,
			(as residue	"Miscellenous."
			limit of NO2)	
	Sodium Nitrate	Same as	s for Potassium Nitr	ate
			as maximum	
	Sodium Nitrite		residue limit of	
		Eich hans	nitrite	
		Fish ham Fish sausage	0.050 g/kg 0.050 g/kg	
		IKURA (salted/processed	0.000 g/kg 0.0050 g/kg	
		salmon roes)	0, 10	
		Meat products	0.070 g/kg	
		SUJIKO (salted salmon roes)	0.0050 g/kg	
		TARAKO	0.0050 g/kg	
		Whale meat bacon	0.070 g/kg	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Color adjuvant	Ferrous Gluconate	Table olive	0.15 g/kg (as residue limit of iron)	May also be used as dietary supplement. See the section, "Dietary supplements"
	Magnesium Hydroxide			
Dietary supplements	L-Ascorbic acid 2-glucoside	All foods		
	Biotin	Formulated milk (dried, liquid)		
		Substitutes for human milk	10mg/100kcal	
		Foods for specified health uses, Foods with nutrient function claims		
	Bisbentiamine			
	Carcium Carbonate	All foods		
	Calcium Chloride	All foods	1.0 %	Only when indispensable for manufacturing or processing the food, or when used for nutritive purposes.
	Calcium Citrate			
	Calcium Dihydrogen Phosphate			Only when indispensable for manufacturing or processing
	Calcium Dihydrogen Pyrophosphate		The above limits do not apply to foods approved	the food, or when used for nutritive purposes.
	Cacium Gluconate* Calcium Glycerophosphate*		to be labeled as "special. dietary	*Only for nutritive purposes
	Calcium Hydroxide	-	special. dietary	
				Only when indispensable fo manufacturing or processin the food, or when used for
	Calcium Lactate			
Dietary supplements (continued)	Calcium Monohydrogen Phospha	t All foods	as Ca 1.0% ** The above limits do not apply to foods approved to be labeled as "special. dietary	Only when indispensable for manufacturing or processing the food, or when used for nutritive purposes.
	Calcium Oxide			
	Calcium Pantothenate		as Ca 1.0%	
	Calcium Stearate	-	**	
	Calcium Sulfate		as Ca 1.0% **	Only when indispensable for manufacturing or processing the food, or when used for nutritive purposes.
	Cholecalciferol	All foods		
	Copper Gluconate		as copper	
		Substitutes for human milk	0.60 mg/L when formulated into a standard concentration.	The limit does not apply to cases where this additive is used in formulated milk under approval by the Minister of Health, Labour and Welfare.
		Foods for specified health uses, Foods with nutrient function claims	5 mg/recommended daily portion of each food	
	Cupric Sulfate	Substitutes for human milk	as copper 0.60 mg/L when formulated into a standard concentration.	The limit does not apply to cases where this additive is used in formulated milk und approval by the Minister of Health, Labour and Welfare.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Dibenzoyl Thiamine	All foods		
	Dibenzoyl Thiamine Hydrochloride	2		
	Dry Formed Vitamin A			
	Ergocalciferol			
	Ferric Ammonium Citrate			
	Ferric Chloride			
	Ferric Citrate			
	Ferric Pyrophosphate			
	Ferrous Gluconate	Dried milk for pregnant and		
	Ferrous Gluconate	lactating women.		May also be used as color
		Substitutes for human milk.		adjuvant. See the section, "Color
		Weaning foods		adjuvant."
	Folic Acid	All foods		
	L-Histidine Monohydrochloride			
	Iron Lactate			
	L-Isoleucine			
	L-Lysine L-Aspartate			
	L-Lysine L-Glutamate			
	L-Lysin Monohydrochloride			
	· · ·			
	Magnesium Hydroxide Magnesium Monohydrogen			
	Phosphate			
	DL-Methionine			
	L-Methionine			
	Methyl Hesperidin			
	Nicotinamide			Not permitted in fresh
	Nicotinic Acid			fish/shellfish (including fresh whale meat) or meat.
ietary supplements	L-Phenylalanine	All foods		
continued)	Pyridoxine Hydrochloride			
	Riboflavin			
	Riboflavin 5'-Phosphate			
	Sodium			
	Riboflavin Tetrabutyrate			
	Sodium Ferrous Citrate			
	Sodium Pantothenate			
	Sodium Selenite	Formulated milk (dried, liquid)		The limit does not apply to
		Substitutes for human milk	as selen 5.5µg∕100kcal	cases where this additive is used in substitutes for huma milk under approval by the Minister for Health, Labour and Welfare.
	Thiamine Dicetylsulfate	All foods		
	Thiamine DilauryIsulfate			
	Thiamine Hydrochloride			
	Thiamine Mononitrate	1		
	Thiamine Naphthalene-			
	1, 5-disulfonate			
	Thiamine Thiocyanate			
	DL-Threonine			
	L-Threonine			
	<i>all-rac</i> -α-Tocopheryl Acetate	Foods for specified health uses	as α−Tocopherol	Only foods for specified health uses and foods with
	<i>R,R,R</i> -α-Tocopheryl Acetate	Foods with nutrient function claims	150 mg/recommended daily portion of	nutrient function claims.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Tricalcium Phosphate	All foods	as Ca 1.00% The above limit do not apply to foods approved to be labeled as ″special. dietary	Only when indispensable for manufacturing or processing the food, or when used for nutritive purposes.
	DL-Tryptophan	All foods		
	L-Tryptophan	-		
	L-Valine			
	Vitamin A	-		
	Vitamin A Esters of Fatty Acids			
	Vitamin A in Oil			
	Zinc Gluconate		as zinc	The limit does not apply to
		Only substitutes for human milk	6.0 mg/L When formulated into a standard concentration.	cases where these additives are used in formulated milk under approval by the Ministe of Health, Labour and Welfare
		Foods for specified health uses, Foods with nutrient function claims	15 mg/ recommended daily portion of each food	
		foods for the ill (which is categorized as "foods for special distance uses")		
	Zinc Sulfate		as zinc	The limit does not apply to cases where these additives
		Only substitutes for human milk	6.0 mg/L When formulated into a standard concentration.	are used in formulated milk under approval by the Minist of Health, Labour and Welfar
Emulsifiers	Calcium Strearoyl Lactylate	as Calcium	Strearoyl Lactylate	
		Bread.	4.0 g/kg	
		Butter cakes.	5.5 g/kg	
		Confections (baked or fried wheat flour products only).		
		Moist cakes (rice flour products		
E 1.10		Macaroni and other such products.*	4.0 g∕kg*	*as dry noodles.
Emulsifiers (continued)	Calcium Strearoyl Lactylate (continued)	Mixed powder:	EE alla	When used in combination
		for manufacturing bread. for manufacturing confections	5.5 g/kg 5.5 g/kg	with calcium strearoyl
		(fried wheat flour products only).		lactylate and sodium streard lactylate, total level of the
		for manufacturing confections (baked wheat flour products only).	5.0 g/kg	additives as calcium strearoy lactylate shall not be more then the maximum limit
		for manufacturing moist cakes (rice flour products only).	10 g/kg	than the maximum limit.
		for manufacturing sponge cakes, butter cakes and steamed breads.	8.0 g/kg	
		for manufacturing steamed MANJYU (bun made by steaming wheat flour dough).	2.5 g/kg	
		Noodles (excluding instant noodles and dry noodles)	4.5 g/kg**	** as boiled noodles.
		Sponge cakes.	5.5 g/kg	
		Steamed bread (bread made by steaming wheat flour dough).	5.5 g/kg	
		Steamed MANJYU	2.0 g/kg	
	Glycerol Esters of Fatty Acids	All foods		

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Polysorbate 20		as polysorbate 80	If it is used together with on
	Polysorbate 60	Capsule- and tablet-form foods	25 g/kg	of polysorbate 60, 65, and 80 the sum of each amount use
	Polysorbate 65	excluding confections Chewing gum	5.0 g/kg	shall be not more than the
	Polysorbate 80	Cocoa and chocolate products	5.0 g/kg	corresponding maximum leve
		Milk-fat substitutes	5.0 g/kg	as polysorbate 80. The above
		Sauces	5.0 g/kg	standards are not applied for products that are approved o
		Seasonings for instant noodles	5.0 g/kg	recognized as foods for
		Shortening	5.0 g/kg	special dietary use.
		Bakery confections	3.0 g/kg	
		Decorations for confections (Sugar coatings and icings)	3.0 g/kg	Flour paste*: In this list, flour paste is confined to paste products of cocoa and
		Dressing	3.0 g/kg	chocolate that are prepared
		Ice creams	3.0 g/kg	with sugar, fat/oil, powder
		Mayonnaise	3.0 g/kg	milk, egg, or wheat flour as
		Mix powder for bakery confections and moist sweet cake	3.0 g/kg	secondary ingridients, and pasteurized. They are used as
		Moist sweet cake, unbaked cake (Including fruit tart, cream cake,	3.0 g/kg	fillings or coatings of bread or bakery confections.
		rare cheese cake, custard pudding, and like products)	20 - //	
		Sweetened yoghurt Candies	3.0 g/kg	
			1.0 g/kg 1.0 g/kg	
		Edible ices including sherbet Flour paste*	1.0 g/kg	
			1.0 g/kg 1.0 g/kg	
		Pickled sea weed	0.50 g/kg	
		Pickled vegetables	0.50 g/kg	
		Chocolate drinks	0.50 g/kg	
		Unripened cheese	0.080 g/kg	
		Canned and bottled sea weed	0.030 g/kg	
		Canned and bottled vegetables	0.030 g/kg	
		Other foods	0.020 g/kg	
	Propylene Glycol Esters	All foods		
	of Fatty Acids			
	Sodium Stearoyl Lactylate		<b> </b>	
mulsifiers	Sorbitan Esters of Fatty	Same as for Calcium S All foods	strearoyl Lactylate	1
(continued)	Acids	Air roous		
(continued)	Sucrose Esters of Fatty Acids	4		
	-			
	Sunflower Lecithin			
	Triethyl Citrate	Only capsule and tablet (except for chewable tablet).	3.5g/kg	not Sweet
		Egg pulp Dried egg	2.5g/kg	
		Nonalcoholic beverages	0.2g/kg	
ilm-forming agents	Morpholine Salts of Fatty Acids	Rind of fruits		Only as film-forming agent.
	Polyvinyl Acetate*	Rind of vegetables		* Polyvinyl Acetate may also
	Sodium Oleate			be used as chewing gum base See the section, "Chewing gum base."
lavoring agents	Acetaldehyde	All foods		Only for flavoring.
	Acetophenone	1		
		4		
	Aliphatic Higher Alcohols (excluding substances			
	_			
	generally recognized as			

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Major Ose Category	Aliphatic Higher Aldehydes	Target 1 0005	Maximum Limits	
	(excluding substances			
	generally recognized as			
	highly toxic)			
	Alphatic Higher Hydro-			
	carbons (excluding sub-			
	stances generally recog-			
	nized as highly toxic)	-		
	Ally Cyclohexylpropionate	-		
	Ally Hexanoate	-		
	Ally Isothiocyanate	1		
	(3–Amino–3–carboxypropyl) dimethylsulfonium chloride			
	Ammonium Isovalerate			
	Amylalcohol			
	lpha-Amylcinnamicaldehyde			
	Anisaldehyde	1		
	Aromatic Alcohols	1		
	Aromatic Aldehydes			
	(excluding substances			
	generally recognized as			
	highly toxic)	-		
	Benzaldehyde	-		
	Benzyl Acetate	-		
	Benzyl Alcohol	4		
	Benzyl Propionate	4		
	<i>d</i> -Borneol	1		
	Butanol	-		
	Butyl Acetate	-		
	<i>sec</i> -Butylamine	-		
	Butyl Butyrate			
	Butyraldehyde			
	Butyric Acid			
	Cinnamic Acid			
	Cinnamaldehyde			
	Cinnamyl Acetate			
Flavoring agents	Cinnamyl Alcohol	All foods		Only for flavoring.
(continued)	Citral			
	Citronellal			
	Citronellol			
	Citronellyl Acetate			
	Citronellyl Formate			
	Cyclohexyl Acetate			
	Cyclohexyl Butyrate			
	Decanal			
	Decanol			
	2,3—Diethylpyrazine	1		
	2,3-Diethyl-5-methylpyrazine	1		
	2,3-Dimethylpyrazine	1		
	2,5-Dimethylpyrazine	1		
	2,6-Dimethylpyrazine	1		
	2,6-Dimethylpyridine	1		
	Esters	1		

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Ethyl Acetate	Ethanol Yeast extract Vinyl acetate resin		<ul> <li>Only for flavoring, execpt when: <ol> <li>Used for denaturing ethanol</li> <li>which is used for the removal</li> <li>astringency of persimons, the</li> <li>manufacture of crystalline</li> <li>fructose, the preparation of</li> <li>granules or tablets of spices, or</li> <li>the manufacture of KONNYAKU-KO (Konjac powder), or which is</li> <li>used as a solvent for Butylated</li> <li>Hydroxytoluene of Butylat</li></ol></li></ul>
	Ethyl Acetoacetate Ethyl Butyrate	All foods		Only for flavoring.
	Ethyl Cinnamate Ethyl Decanoate Mixture of 2-Ethyl-3,5-dimethylpyrazine an	d		
	2-Ethyl-3,6-dimethylpyrazine Ethyl Heptanoate Ethyl Hexanoate			
	Ethyl Isovalerate 2-Ethyl-3-methylpyrazine 2-Ethyl-5-methylpyrazine 2-Ethyl-6-methylpyrazine			
	5-Ethyl-2-methylpyridine Ethyl Octanoate Ethyl Phenylacetate			
	Ethyl Propionate 2-Ethylpyrazine			
Flavoring agents (continued)	3-Ethylpyridine Ethylvanillin 1,8-Cineole Eugenol	All foods		Only for flavoring.
	Fatty Acids Furfural and its derivatives (excluding substances generally recognized as highly toxic)			
	Geraniol Geranyl Acetate Geranyl Formate Hexanoic Acid			
	Hexylamine Hydroxycitronellal Hydroxycitronellal Di- methylacetal			
	Indole and its derivatives Ionone Isoamyl Acetate Isoamylalcohol			
	Isoamyl Butyrate Isoamyl Formate Isoamyl Isovalerate			

Isoamyl Pro Isobutylald Isobutylald Isobutylam Isobutylam Isobutylam Isobutylam Isobutylam Isobutylam Isobutylam Isopropano Isopropano Isopropano Isopropylam Isothiocyar (excludin generally re toxic) Isovaleraldd Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol /-Men	ropionate		1
Isobutanol Isobutylald Isobutylald Isobutyl Ph Isoeugenol Isoquinoline Isopentylar Isopropano Isopropylar Isopropylar Isothiocyar (excludin generally re toxic) Isovaleraldo Ketones (excludin generally re toxic) Isovaleraldo Ketones (excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol 2-Methylbu Z-Methylbu Somtinued) Methyl Sali /-Pentanol /-Perilalde Phenethyl / Phenols	opionate	-	
Isobutylald         Isobutylald         Isobutyl Ph         Isoeugenol         Isoeugenol         Isopentylan         Isopentylan         Isopentylan         Isopropano         Isopropano         Isopropano         Isopropano         Isopropano         Isopropano         Isopropano         Isovaleraldy         Ketones         Lactones         (excluding generally retoxic)         Isovaleraldi         Ketones         Lactones         (excluding generally retoxic)         Isovaleraldi         Ketones         Lactones         (excluding generally retoxic)         Isovaleraldi         Ketones         Lactones         (excluding generally highly tox         Linalool         Linalool         Linalyl Ace         Maltol         //-Menthol         /-Menthol         /-Menthol         /-Menthol         /-Methyl Ath         2-Methylbu         3-Methyl-2         3-Methyl-2         2-Methylbu			
Isobutylami         Isobutyl Ph         Isoeugenol         Isoquinoline         Isoquinoline         Isopropano         Isopropylar         Isopropylar         Isothiocyar         (excluding generally retoxic)         Isovaleraldi         Ketones         Lactones         (excluding generally retoxic)         Isovaleraldi         Ketones         Linalool         Linalool         Linalool         Zinalool         Zinethyla         y-N			
Isobutyl Ph         Isoeugenol         Isoquinoline         Isopentylar         Isopropano         Isopropano         Isopropano         Isopropylar         Isothiocyar         (excludin generally r         toxic)         Isovaleralde         Ketones         Lactones         (excluding generally highly tox         Linalool         Linalool         Linalool         Linalool         Zinalool	lehyde		
Isoeugenol Isoquinoline Isopentylar Isopropano Isopropylar Isothiocyar (excludin generally re toxic) Isovaleralde Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol 2-Methylbu 3-Methyl-2 3-Methyl-2 3-Methyl-2 2-Methylbu 2-Pentanol 2-Pentanol 2-Pentanol	line		
Isoquinolina Isopentylar Isopropano Isopropylar Isothiocyar (excludin generally re toxic) Isovaleralda Ketones Lactones (excluding generally re toxic) Isovaleralda Ketones Lactones (excluding generally re toxic) Linalool Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthol /-Menthol /-Menthyl Ath 2-Methylbu 3-Methyl-2 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 3-Methyl-2 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylau y-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl y	henylacetate		
Isopentylan         Isopropano         Isopropano         Isopropano         Isothiocyar         (excludin generally retoxic)         Isovaleraldi         Ketones         Lactones         (excluding generally highly tox         Linalool         Linalool         Linalool         Zinalool         Zinethyla </td <td>-</td> <td></td> <td></td>	-		
Isopropano         Isopropylar         Isothiocyar         (excludin         generally re         toxic)         Isovaleraldo         Ketones         Lactones         (excluding         generally         highly tox         Linalool         Linalool         Linalool         Zinalyl Ace         Maltol         d/-Menthol         /-Menthyl Ath         2-Methylbu         3-Methyl-2         trans-2-Ma         3-Methyl-2	e		
Isopropylan Isothiocyar (excludin generally re toxic) Isovaleralde Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol 2-Methylbu 3-Methyl-2 2-Methylbu 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu Methyl Cini 5-Methyl-6 cyclopenta 1-Methyl A Methyl Sali p-Methylae Y-Nonalact Octanal 2-Pentanol trans-2-Pet 1-Penten-3 Pentylamin /-Perillalde Phenethyl, Phenols	mine		
Isothiocyar (excludin generally re toxic) Isovaleraldo Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d'-Menthol /-Menthol /-Menthol /-Menthol /-Menthyl Ath 2-Methylbu 3-Methyl-2 trans-2-Ma 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl Arh 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl Arh 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl Arh 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Pentanol trans-2-Pet 1-Penten-3 Pentylamin /-Perillalde Phenethyl J	וו	All foods	See the section, "Miscellaneous".
(excludin generally re toxic) Isovaleraldo Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d'-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 5-Methylqu 5-Methylqu 5-Methylqu 2-Methylqu 5-Methylqu 2-Methylqu 2-Methylqu 1-Methylad p-Methylqu 2-Pentanol trans-2-Pet 1-Penten= Pentylamin /-Perillalde Phenethyl, Phenols	mine	All foods	Only for flavoring.
generally re toxic) Isovaleraldo Ketones Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d'-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol /-Menthol 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 5-Methylqu 5-Methylqu 5-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 5-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Pentanol <i>trans-2-Pe</i> 1-Penten-: Pentylamin /-Perillalde Phenethyl, Phenols	nates		
Ketones         Lactones         (excluding generally highly tox         Linalool         Linalool         Linalool         d/-Menthol         /-Menthol         /-Menthyl         3-Methyl-2         trans-2-Mi         3-Methyl-2         2-Methylbu         Methyl N-M         Methyl N-M         Methyl S-ini         0         6-Methylqu         2-Methylqu         2-Methylax         y-Nonalact         Octanal         2-Pentanol         trans-2-Pethylax         y-Nenols	ng substances recognized as highly		
Lactones (excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthyl Ath 2-Methyl Ath 2-Methyl Ath 2-Methyl-2 trans-2-M 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 5-Methyl Gin 5-Methyl Gin 5-Methyl A Methyl Anh 2-Methylbu 2-Methylbu 2-Methylbu 5-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Pentanol trans-2-Pet 1-Penten-: Pentylamin /-Perillalde Phenethyl J	ehyde		
(excluding generally highly tox Linalool Linalyl Ace Maltol d/-Menthol/-Menthol/-Menthol/-Menthyl Ath2-Methyl Ath2-Methylbu3-Methyl-23-Methyl-22-Methylbu2-Methylbu2-Methylbu2-Methylbu2-Methylbu2-Methylbu2-Methylbu3-Methyl Cin5-Methyl-6cyclopenta1-MethylnaMethyl N-MMethyl N-MMethyl Sali $p$ -Methylau 2-Methylau 2-Methylau 2-Methylau 2-Methylau 2-Methylau 2-Methylau 2-Methylau 2-Methylau 2-Pentanol trans-2-Petilalde Phenethyl J			
highly tox Linalool Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthyl Ath 2-Methylbu 3-Methyl-2 trans-2-Ma 3-Methyl-2 trans-2-Ma 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 3-Methyl - 2 2-Methylbu 2-M	g substances recognized as		
Linalyl Ace Maltol d/-Menthol /-Menthol /-Menthyl /-Menthyl /-Menthyl /-Menthyl /-Menthyl 3-Methyl 2 -Methyl 2 -Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 5-Methyl Gin 5-Methyl Gin 5-Methyl Gin 5-Methyl Gin 5-Methyl A Methyl N-M Methyl N-M Methyl N-M 5-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Pentanol trans-2-Pet 1-Penten-: Pentylamin /-Perillalde Phenethyl J			
Avoring agents ontinued) Avoring agents ontinued) $\beta$ -Methyl $\beta$ -Methylau $\beta$ -Meth		1	
avoring agents $Methyl \beta$ d/-Menthol /-Menthol /-Menthol /-Menthyl Ath 2-Methylbu 3-Methyl-2 3-Methyl-2 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 2-Methylbu 3-Methyl - 2 2-Methylbu 3-Methyl - 2 2-Methylbu 3-Methyl - 2 2-Methylbu 3-Methyl - 2 3-Methyl - 2 2-Methylbu 3-Methylbu	etate	1	
Avoring agents $Methyl Arh 2-Methylbu 3-Methyl-2 trans-2-Ma3-Methyl-2trans-2-Ma3-Methyl-22-Methylbu2-Methylbu2-Methylbu2-Methylbu5-Methyl-6cyclopenta1-Methylna1-Methylna5-Methylqu2-Pentanoltrans-2-Pet1-Penten-3Pentylamin/-PerillaldePhenethyl /$		-	
Avoring agents $Methyl Ath$ 2-Methylbu 3-Methyl-2 trans-2-M 3-Methyl-2 3-Methyl-2 2-Methylbu 2-Methylbu 2-Methylbu 2-Methylbu 5-Methyl-6 cyclopenta 1-Methyl An Methyl N-M Methyl N-M 6-Methylqu 5-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Methylqu 2-Pentanol trans-2-Pet 1-Penten-3 Pentylamin 7-Perillalde Phenethyl 7 2-Methylqu 2-Pentanol		-	
Avoring agents $Methyl Ach 2-Methylbu 3-Methyl-2 trans-2-Methylbu3-Methyl-23-Methyl-22-Methylbu2-Methylbu2-Methylbu2-Methylbu5-Methyl-6cyclopenta1-MethylnaMethyl N-MMethyl N-M6-Methylqu5-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Methylqu2-Pentanoltrans-2-Pet1-Penten-3Pentylamin7-PerillaldePhenethyl 7Phenols$		_	
Methyl Ath         2-Methylbu         3-Methyl-2         trans-2-Mi         3-Methyl-2         3-Methyl-2         3-Methyl-2         3-Methyl-2         3-Methyl-2         2-Methylbu         Methyl Cini         5-Methyl-6         cyclopenta         1-Methylna         Methyl N-N         Methyl N-N         avoring agents         Methyl Sali         p-Methylau         Y-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenols		-	
2-Methylbu         3-Methyl-2         irans-2-Mi         3-Methyl-2         3-Methyl-2         3-Methyl-2         2-Methylbu         3-Methyl-2         2-Methylbu         2-Methylbu         5-Methyl-1         S-Methyl Cim         5-Methylna         Methyl N-N         avoring agents         Methyl Sali         \$\rho-Methylau         \$2-Methylau         \$2-Pertanol         \$2-Pertanol         \$2-Pertanol         \$2-Pertanol         \$2-Pertanol         \$2-Pertanol         \$2-Pertanol         \$2-Per		_	
3-Methyl-2         trans-2-Mil         3-Methyl-2         3-Methyl-2         3-Methyl-2         3-Methyl-2         2-Methylbu         2-Methylbu         2-Methylbu         2-Methylbu         5-Methyl-6         cyclopenta         1-Methylna         Methyl A         ontinued)         6-Methylqu         2-Methylpy         Methyl Sali         p-Methylax         γ-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenols		_	
trans-2-Mill         3-Methyl-2         3-Methyl-2         3-Methyl-2         2-Methylbu         2-Methylbu         2-Methylbu         Methyl Cini         5-Methyl-6         cyclopenta         1-Methylna         Methyl N-M         avoring agents       Methyl β-         ontinued)       6-Methylqu         5-Methylgu         2-Methylsai         p-Methylsai         p-Methylau         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenels		_	
3-Methyl-2         3-Methyl-2         3-Methyl-2         2-Methylbu         2-Methylbu         Methyl Cim         5-Methyln         5-Methyln         1-Methyln         Methyl N-N         avoring agents         Methyl β-         ontinued)         5-Methylau         2-Methylau         2-Pentanol         trans-2-Petel         1-Penten-3         Pentylamin         /-Perillalde         Phenethyl         Phenols		_	
3-Methyl-2         2-Methylbu         2-Methylbu         2-Methylbu         2-Methylbu         Methyl Cini         5-Methyl-6         cyclopenta         1-Methylna         Methyl N-N         avoring agents         Methyl β -         ontinued)         6-Methylqu         2-Methylau         2-Methylau         y-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenethyl /		_	
2-Methylbu         2-Methylbu         2-Methylbu         Methyl Cim         5-Methyl-G         cyclopenta         1-Methylna         Methyl N-M         avoring agents       Methyl β -         ontinued)       6-Methylqu         5-Methylqu         2-Methylau         γ-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenethyl /		_	
2-Methylbu Methyl Cini 5-Methyl-G cyclopenta 1-Methylna Methyl N-M avoring agents Methyl β- ontinued) 6-Methylqu 5-Methylqu 2-Methylgu 2-Methylgu γ-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten- Pentylamin /-Perillalde Phenethyl J Phenols			
Methyl Cin         5-Methyl-G         cyclopenta         1-Methylna         Methyl N-N         avoring agents       Methyl β -         ontinued)       6-Methylqu         2-Methylqu         2-Methylau         φ-Methylau         γ-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Penethylau         Phenethylau			
5-Methyl-6         cyclopenta         1-Methylna         Methyl N-N         avoring agents       Methyl β -         ontinued)       6-Methylqu         2-Methylau         p-Methylau         y-Nonalact         Octanal         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylauin         /-Perillalde         Phenethyl			
cyclopenta         1-Methylna         Methyl N-N         avoring agents       Methyl β -         ontinued)       6-Methylqu         2-Methylsaii         p-Methylsaii         p-Methylau         2-Pentanol         trans-2-Pet         1-Penten-3         Pentylamin         /-Perillalde         Phenethyl		_	
1-Methylna         Methyl N-M         avoring agents       Methyl β -         ontinued)       6-Methylqu         5-Methylqu         2-Methylsali         p-Methylsali         2-Pentanol         trans-2-Pet         1-Penten-         Pentylamin         /-Perillalde         Phenethyl			
avoring agents Methyl β – ontinued) 6-Methylqu 5-Methylqu 2-Methylgu φ-MethylSali φ-Methylaa γ-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten- Pentylamin /-Perillalde Phenethyl <i>J</i> Phenols			
ontinued) 6-Methylqu 5-Methylqu 2-Methyly Methyl Sali p-Methylau y-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl <i>J</i> Phenols	Methylanthranilate		
5-Methylqu 2-Methylyy Methyl Sali p-Methylau y-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl <i>j</i>	-Naphthyl Ketone	All foods	Only for flavoring.
2-Methypy Methyl Sali p-Methylad y-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-: Pentylamin /-Perillalde Phenethyl <i>j</i>			
Methyl Sali <i>p</i> -Methylad γ-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl <i>μ</i> Phenols			
p-Methylad γ-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl <i>J</i> Phenols		_	
γ-Nonalact Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten- Pentylamin /-Perillalde Phenethyl <i>J</i> Phenols		_	
Octanal 2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl Phenols		_	
2-Pentanol <i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl <i>J</i> Phenols	lone	-	
<i>trans-2-Pe</i> 1-Penten-3 Pentylamin /-Perillalde Phenethyl Phenols		-	
Pentylamin /-Perillalde Phenethyl / Phenols		-	
Pentylamin /-Perillalde Phenethyl / Phenols	-30	_	
/-Perillalde Phenethyl Phenols		-	
Phenethyl / Phenols		-	
Phenols		-	
(avaluation		1	
(excluding	g substances		
generally	recognized as		
highly tox			
Phenol Eth		]	
	g substances		
generally highly tox	recognized as		

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	2-(3-Phenylpropyl)pyridine			
	Piperidine	4		
	Piperonal	-		
	Propanol	-		
	Propionaldehyde	-		
	Propionic Acid*	-		
	Propylamine	-		
	Pyrazine	4		
	Pyrrole	4		
	Pyrrolidine	4		
	Terpene Hydrocarbons	4		* Propionic Acid may also
	Terpineol	4		be used as preservative.
	Terpinyl Acetate	4		See the section, "Preservatives."
	5,6,7,8-Tetrahydroquinoxaline	4		
		4		
	2,3,5,6-Tetramethylpyrazine Thioethers	4		
	(excluding substances generally recognized as			
	highly toxic)			
	Thiols	4		
	(excluding substances			
	generally recognized as highly			
	Triethyl Citrate	1		
	Trimethylamine	1		Only for flavoring.
	2,3,5–Trimethylpyrazine	1		
	γ-Undecalactone	1		
	Valeraldehyde	4		
	Vanillin	1		
Flour treatment agents	Ammonium Persulfate	Wheat flour	0.30 g/kg	
0	Benzoyl Peroxide	Wheat flour	0, 0	Can be used only as diluted
				with one or more of Alum, calcium salts of Phosphoric Acid, Calcium Sulfate, Calcium Carbonate, Magnesium Carbonate, and Starch.
	Chloride Dioxide	Wheat flour		
	Diluted Benzoyl Peroxide	Wheat flour	0.30 g/kg	
	Potassium Bromate	Bread (only products made of wheat flour)	0.030 g/kg of wheat flour	Shall be decomposed or removed before the preparation of the finished food.
Food colors	Annato, water-soluble			Not permitted in fresh fish/
				shellfish (including whale
	b-apo-8'-carotenal			meat), KONBU (kelp)/WAKAME (sea weed)
	β−Carotene			(both Laminariales), legumes/pulses, meat, NORI (laver) (except when gold is used on NORI), tea leaves, or vegetables.
	Canthaxanthin	Fish-paste products (only <i>Kamaboko</i> )	0.035g/1kg	except for Hanpen,,Satumaage, Tuna-ham,Fish sausage and These imitations.
	Copper Chlorophyll		as copper	
		Agar jelly in MITSUMAME (prepared by mixing agar jelly, cut fruits, gree beans, etc. with sugar syrup) packed into cans or plastic	0.0004 g/kg	
		containers. Chewing gum	0.050 g/kg	
		Chocolate Fish-paste products (excluding SURIMI)	0.0010 g/kg 0.030 g/kg	* Foods which are processed for preserving, including dried
		Fruits and vegetables for	0.10 g/kg	foods, salted foods, pickled foods in vinegar, and
		preservation.*		much and for the local sector in the sector is the sector of the sector
		preservation.* KONBU (kelp)	0.15 g/kg of dry ke	preserved foods in syrup.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Food Blue No. 1 (Brilliant			National the disc field of the
	Blue FCF) and its Alumi-			Not permitted in fish pickles, fresh fish/shellfish (including
	num Lake	-		whale meat) KASUTERA (a
	Food Blue No. 2 (Indigo			type of pound cake), KINAKO
	Carmine) and its Alumi- num Lake			(roasted soybean flour),
	Food Green No. 3 (Fast	-		KONBU (kelp)/WAKAME (sea weed) (both <i>Laminariales</i> ).
	Green FCF) and its Alu-			legumes/pulses, marmalade,
	minum Lake			meat, meat pickles, MISO
	Food Red No. 2 (Amaranth)	-		(fermented soybean paste),
	and its Aluminum Lake			noodles (including Wantan), NORI(laver), soy sauce,
	Food Red No. 3 (Erythro-	1		sponge cakes, tea leaves,
	sin) and its Aluminum Lake			vegetables, or whale meat
	Food Red No. 40 (Allura	1		pickles.
	Red) and its Aluminum			
	Lake			
	Food Red No. 102	1		
	(New Coccine)			
	Food Red No. 104			
	(Phloxine)			
	Food Red No. 105			
	(Rose Bengale)			
	Food Red No. 106			
	(Acid Red)			
	Food Yellow No. 4 (Tartra-			
	zine) and its Aluminum			
	Lake Food Yellow No. 5 (Sunset	4		
	Yellow) and its Aluminum			
	Lake			
Food colors	Food colors other than			Not permitted in fresh fish/
(continued)	chemically synthesized			shellfish (including whale
	food additives			meat), KONBU
				(kelp)/WAKAME (sea weed) (both Laminariales).
				legumes/pulses, meat, NORI
				(laver) (except when gold is
				used on NORI), tea leaves, or vegetables.
	Iron Sesquioxide	Banana (stem only)		
		KONNYAKU (konjac)		
	Preparations of tar colors			Same as for Food Blue No. 1.
	Sodium Copper Chlorophyllin		as copper	
		Agar jelly in MITSUMAME (prepared	0.00040 g/kg	
		by mixing agar jelly, cut fruits, gree		
		beans, etc. with sugar syrup) packed into cans or plastic		
		containers		
		Candies	0.020 g/kg	
		Chewing gum	0.050 g/kg	
		Chocolate	0.0064 g/kg	
		Fish-paste products (except SURIMI)	0.040 g/kg	
		Fruits and vegetables for	0.10 g/kg	* Foods which are processed for preserving, including dried
		KONBU (kelp)	0.15 g/kg of dry ke	foods, salted foods, pickled
		Moist cakes (excluding bread with	0.0064 g/kg	foods in vinegar, and
		sweet fillings or toppings)		preserved foods in syrup.
		Syrup	0.064 g/kg	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Sodium Iron Chlorophyllin			Not permitted in fresh fish/ shellfish (including whale meat), KONBU (kelp)/WAKAME (sea weed) (both <i>Laminariales</i> ), legumes/pulses, meat, NORI (laver) (except when gold is used on NORI), tea leaves,
	Titanium Dioxide			Only for coloring. Not permitted in fish pickles, fresh fish/shellfish (including whale meat) KASUTERA (a type of pound cake), KINAKO (roasted soybean flour), KONBU (kelp)/WAKAME (sea weed) (both Laminariales), legumes/pulses, marmalade, meat, meat pickles, MISO (fermented soybean paste), noodles (including Wantan), NORI(laver), soy sauce, sponge cakes, tea leaves, vegetables, or whale meat pickles.
Humectant	Sodium Chondroitin Sulfate	Fish sausage	3.0 g/kg	
		Mayonnaise	20 g/kg	
•			20 g/kg	
Insecticide	Piperonyl Butoxide	Cereal grains	0.024 g/kg	
Non-nutritive sweetener	Acesulfame Potassium	An (sweetened bean paste) Confectionary Chewing gum Edible ices (including sherbets, flavored ices, and other similar Fermented milk* Flour paste	2.5 g/kg 2.5 g/kg 5.0 g/kg 1.0 g/kg 0.50 g/kg 1.0 g/kg	These maximum limits do not apply to foods approved to be labeled as special dietary use. * Applied to dilutions, in the case of concentrated products.
NI . '11' .		Ice creams	1.0 g/kg	
Non-nutritive sweetener (continued)	Acesulfame Potassium (continued)	Jam Foods with health claims (only tablets) Lactic acid bacterial bevarages* Milk drinks* Miscellaneous alcoholic beverages* Moist cakes Nonalcoholic beverages	1.0 g/kg 6.0 g/kg 0.50 g/kg 0.50 g/kg 0.50 g/kg 2.5 g/kg 0.50 g/kg	
		Pickles Sugar substitutes** Tare (a dip or sauce mainly for Japanese or Chinese foods) Wine* Other foods	1.0 g/kg 15 g/kg 1.0 g/kg 0.50 g/kg 0.35 g/kg	** Products used by directly adding to drinks, such as coffee and tea.
	Advantame			
	Aspartame			
	Calcium Saccharin Disodium Glycyrrhizinate	Same as for "Sodium Saccharin". MISO (fermented soybean paste)		
	Disodium diycyrmizinate	Soy sauce		
	Saccharin	Chewing gum	0.050 g/kg	
	Sodium Saccharin	KOZI–ZUKE (preserved in KOJI, fermented rice SU–ZUKE (vinegar–pickled foods) TAKUAN–ZUKE (rice bran–pickled radishes)	as residue limit of sodium saccharine less than: 2.0 g/kg	When used in combination with calcium saccharin and sodium saccharin, total level of the additives as sodium saccharin shall not be more than the maximum limit.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
major oso category	Auditives	Nonalcoholic beverages (powdered)	1.5 g/kg	
		KASU-ZUKE (lee-pickled foods)	1.2 g/kg	
		MISO-ZUKE (MISO-pickled foods)		
		SHOYU-ZUKE (soy sauce-pickled		
		foods)		
		Fish/shellfish (processed, excluding		
		fish paste, TSUKUDANI (foods		
		boiled down with soy sauce),		
		pickles, and canned or bottled foods)		
		Processed sea weeds	0.50 g/kg	
		Simmered beans	0.00 g/ Ng	
		Soy sauce		
		TSUKUDANI (foods boiled down with	<b>ו</b> ו	
		soy sauce)		
		Edible ices	0.30 g/kg	
		Fish paste	(less than 1.5 g/kg	
		Lactic acid bacterial drinks	in case of materials for	
		Milk drinks	nonalcoholic	
		Nonalcoholic beverages Sauces	beverage or lactic acid bacteria	
		Sauces Syrup	drinks or	These maximum limits do
		Vinegar	fermented milk	not apply to foods
			product to be diluted not less	approved to be labeled as special dietary use.
			than 5-fold before	
			use, less than 0.90 g/kg in case of	
			vinegar to be	
			deluted not less	
			than 3-fold before use)	
Non-nutritive sweetener	Sodium Saccharin	AN (sweetened bean paste)	0.20 g/kg	
(continued)	(continued)	Fermented milk		
		Flour paste		
		Ice cream products		
		Jams		
		MISO (fermented soybean paste)		
		Pickles (preserved or pickled foods,		
		excluding those listed in this		
		column)		
		Confectionary	0.10 g/kg	
		Canned or bottled foods, excluding	0.20 g/kg	
		those listed above.		
	D–Sorbitol	All foods		
	Sucralose	Chewing gum	2.6 g/kg	<b>-</b>
		Confectionary	1.8 g/kg	<ul> <li>These maximum limits do not apply to foods approved to be</li> </ul>
		Jam	1.0 g/kg	labeled as special dietary use.
		Lactic acid becterial beverages*	0.40 g/kg	
		Milk drinks*	0.40 g/kg	* Applied to dilutions, in the
		Miscellaneous alcoholic bverages*	0.40 g/kg	case of concentrated
		Moist cakes	1.8 g/kg	products.
		Nonalcoholic beverages*	0.40 g/kg	
		_		
		Sake*	0.40 g/kg	
		Sake (compounded)*	0.40 g/kg	** Products used by
		Sugar substitutes**	12 g/kg	directly adding to drinks,
		Wine (any kind of fruit wine)*	0.40 g/kg	such as coffee and tea.
		Other foods	0.58 g/kg	
	Xylitol	All foods		

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Preservatives	Benzoic Acid	Caviar	2.5 g/kg	When the additive is used in margarine with Sorbic Acid,
		Margarine	1.0 g/kg	Calcium Sorbate or Potassiur
		Nonalcoholic beverages	0.60 g/kg	Sorbate, or a preparation containing these additives, th
		Soy sauce	0.60 g/kg	total amount of them as
		Syrup	0.60 g/kg	benzoic acid and as sorbic acid shall not be more than 1.0 g/kg.
	Butyl <i>p</i> -Hydroxybenzoate		as <i>p−</i> hydroxybenzo acid	l pic I
		Fruit sauce	0.20 g/kg	
		nonalcoholic beverages	0.10 g/kg	
		Rind of fruits and fruit vegetables	0.012 g/kg	
		Soy sauce	0.25 g/L	
		Syrup	0.10 g/kg	
		Vinegar	0.10 g/L	
	Calcium Propionate		as propionic acid	When the additive is used in cheese with Sorbic Acid.
		Bread and cakes Cheese	2.5 g/kg 3.0 g/kg	Potassium Sorbate, or Calcium Sorbate or a preparation containing these additives, the total amount of them as propionic acid and as sorbic acid shall not be more than 3.0 g/kg.
Preservative	Calcium Sorbate		as sorbic acid	
(continued)	(continued)	AMAZAKE (beverages made from fermneted rice using KOJI (Asp. oryzae), and confined to products to be coonsumed in 3-fold or more dilution.)	0.30 g/kg	Cheese: When used in
		AN (sweetened bean paste)	1.0 g/kg	combination with propionic acid, calcium propionate, or sodium propionate, total level of the additives as sorbic acid and as propioni acid shall not be more than 3.0 g/kg.
		Candied cherries Cheese	1.0 g/kg 3.0 g/kg	
		Dried fish/shellfish (excluding	1.0 g/kg	
		smoking cuttlefish & octopus)		
		Dried prune	0.50 g/kg	
		Fermented milk (as raw materials for lactic acid bacterial drinks)	0.30 g/ kg	
		Fish-paste products (excluding SURIMI)	2.0 g/kg	
		Flour paste products for bread and confectionary	1.0 g/kg	
		Fruit juice (including concentrated fruit juice) for confectionary	1.0 g/kg	
		Fruit paste for confectionary	1.0 g/kg	
		Gnocchis	1.0 g/kg	
		Jams	1.0 g/kg	
		KASU-ZUKE (lees-pickled foods)	1.0 g/kg	When the additive is used in
		Ketchup	0.50 g/kg	margarine with Benzoic Acic or Sodium Benzoate, the
		KOJI-ZUKE (KOJI (Asp. oryzae)-		total amount of them as
		pickled foods)	1.0 g/kg	benzoic acid and as sorbic acid shall not be more than 1.0 g/kg.
		Lactic acid bacterial beverages (ex-	0.050 g/kg	
		cluding sterilized bevarages)		
		_	0.30 g/kg	
		ingredients of lactic acid bacterial		
		beverages, excluding sterilized		
		beverages)		
		Margarine	1.0 g/kg	
		Meat products	2.0 g/kg	
	1	Miscellaneous alcoholic beverages	0.20 g/kg	1

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
		MISO (fermented soy bean paste)	1.0 g/kg	
		MISO-ZUKE (MISO-pickled foods)	1.0 g/kg	When the additive is use
		Salted vegetables	1.0 g/kg	MISO-ZUKE, the total
		Sea urchin products	2.0 g/kg	amount of Sorbic Acid us in the product, and Sorbi
		SHOYU-ZUKE (soy sauce-pickled	1.0 g/kg	Acid and its salts cntaini
		foods) Simmered beans	1.0 g/kg	in MISO as ingredient sh not be more than 1.0 g/k
		Smoked cuttlefish & octopus	1.5 g/kg	
		Soup (excluding potage-type soup)	0.50 g/kg	
		SU-ZUKE (vinegar-pickled foods)	0.50 g/kg	
		Syrup	1.0 g/kg	
		TAKUAN-ZUKE (rice bran-pickled	1.0 g/kg	
		radish)		
		TARE (a dip or sauce mainly for	0.50 g/kg	
		Japanese or Chinese foods)		
		TSUKUDANI (foods boiled down in	1.0 g/kg	
		soy sauce)		
Preservative	Calcium Sorbate	TSUYU (a sauce mainly for Japanes	0.50 g/kg	
(continued)	(continued)	noodles)		
		Whale meat products	2.0 g/kg	
		Wine (any kind of fruit wine)	0.20 g/kg	
	Ethyl <i>p</i> -Hydroxybenzoate			
	Isobutyl <i>p</i> -Hydroxybenzoate	− Same as for Butyl <i>p</i> −Hydrox	ybenzoate.	
	Isopropyl <i>p-</i> Hydroxybenzoate	-		
	Nisin		As polypeptide containing Nisin A	The maximum use levels a
		Cheese (except processed cheese)	0.0125g/kg	not apply to products
		Meat products		permmited or recognized the Minister of Health,
		Whipped creams		Labour and Welfare as food
		Dressing	0.010g/kg	for special dietary uses. T foods include five types o
		Mayonnaise		products: foods for the ill,
		Sauces*		milk powder for pregnant
		Fine bakery products	0.00625g/kg	lactating women, formulat milk powder for infants,
		Processed cheese		foods for the aged, foods
		MISO (fermented soybean paste)	0.0050g/kg	specified health uses.
		Processed eggs products		
		Moist, unbaked, sweet cakes made maainly of cereal grains or starch**	0.0030g/kg	* Sauces refer to all kinds sauces including Oriental thick Worcester sauce, cheese souce, and ketchup but excluding fruit sauce a its analogues used for cake
				** They refer to rice puddi and tapioca puding, and the analogues, but excluding Oriental sweet dumplings.
	Potassium Sorbate	Same as for Calcium Sort	pate	
	Propionic Acid	Same as for Calcium Prop		This additive may also be used as flavoring agent. See the section, "Flavorin agents."

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Propyl <i>p</i> -Hydroxybenzoate	Same as for Butvl p-Hvdro	oxvbenzoate	
	Sodium Benzoate		as benzoic acid	
		Caviar	2.5 g/kg	When the additive is used in
		Fruit paste and fruit juice (including concentrated juice) used for manufacturing confectionary.	1.0 g/kg	margarine with Sorbic Acid, Calcium Sorbate or Potassium Sorbate, or a
		Margarine	1.0 g/kg	preparation containing these additives, the total amount of
		Nonalcoholic beverages	0.60 g/kg	them as benzoic acid and as
		Soy sauce	0.60 g/kg	sorbic acid shall not be more than 1.0 g/kg.
		Syrup	0.60 g/kg	than 1.0 g/ kg.
	Sodium Dehydroacetate		as dehydroacetic	
		Butter	0.50 g/kg	
		Cheese	0.50 g/kg	
		Margarine	0.50 g/kg	
	Sodium Propionate	Same as for Calcium Prop	ionate	
Preservative	Sorbic Acid		as sorbic acid	
(continued)		AMAZAKE (beverages made from fermneted rice using KOJI (Asp. oryzae), and confined to products to be coonsumed in 3-fold or more dilution.)	0.30 g/kg	
		AN (sweetened bean paste)	1.0 g/kg	
		Candied cherries	1.0 g/kg	
		Cheese	3.0 g/kg	
		Dried fish/shellfish (excluding smoking cuttlefish & octopus)	1.0 g/kg	
		Dried prune	0.50 g/kg	
		Fermented milk (as raw materials for	0.30 g/kg	
		lactic acid bacterial drinks)		
		Fish-paste products (excluding SUR	2.0 g/kg	
		Flour paste products for bread and confectionary	1.0 g/kg	
		Gnocchis	1.0 g/kg	
		Jam	1.0 g/kg	
		KASU-ZUKE (lees-pickled foods)	1.0 g/kg	
		Ketchup	0.50 g/kg	
		KOJI−ZUKE (KOJI (Asp. oryzae)− pickled foods)	1.0 g/kg	
		Lactic acid bacterial beverages (excluding sterilized bevarages)	0.050 g/kg	
		Lactic acid bacterial beverages (as ingredients of lactic acid bacterial beverages, excluding sterilized beverages)	0.30 g/kg	When the additive is used in margarine with Benzoic
		Margarine	1.0 g/kg	Acid or Sodium Benzoate, the total amount of them as
		Meat products	2.0 g/kg	benzoic acid and as sorbic
		Miscellaneous alcoholic beverages	0.20 g/kg	acid shall not be more than 1.0 g/kg.
		MISO (fermented soy bean paste)	1.0 g/kg	When the additive is used in
		MISO-ZUKE (MISO-pickled foods)	1.0 g/kg	MISO-ZUKE, the total
		Salted vegetables	1.0 g/kg	amount of Sorbic Acid used in the product, and Sorbic
		Sea urchin products	2.0 g/kg	Acid and its salts cntaining in
		SHOYU-ZUKE (soy sauce-pickled	1.0 g/kg	MISO as ingredient shall not be more than 1.0 g/kg.
		foods)		55 more chan i.º g/ kg.
		Simmered beans	1.0 g/kg	
		Smoked cuttlefish & octopus	1.5 g/kg	
		Soup (excluding potage-type soup)	0.50 g/kg	
	1		0.50 g/kg	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
		Syrup	1.0 g/kg	
		TAKUAN–ZUKE (rice bran–pickled radish)	1.0 g/kg	
		TARE (a dip or sauce mainly for Japanese or Chinese foods)	0.50 g/kg	
		TSUKUDANI (foods boiled down in soy sauce)	1.0 g/kg	
		TSUYU (a sauce mainly for Japanese	0.50 g/kg	
		Whale meat products	2.0 g/kg	
		Wine (any kind of fruit wine)	0.20 g/kg	
N	Durandaria Oharal	-		
Quality sustainer	Propylene Glycol	Crust of Chinese pastry (shao mai, spring roll, wonton, zaio-z)	1.20%	
		Smoked cuttlefish	2.00%	
		Raw noodles	2.00%	
		Other foods	0.60%	
Raising agents	Aluminum Ammonium			
	Sulfate	Confectionaries	as aluminum	Not permitted in MISO
	Aluminum Potassium	Moist cakes Bread	0.1g/kg	(fermented soy bean paste)
	Sulfate	Bread		
	Ammonium Bicarbonate	All foods		
	Ammonium Carbonate	-		
	Ammonium Chloride	-		
	Baking Powder	-		
	<ul> <li>Single Baking Powder</li> </ul>			
	Duplex Baking Powder			
	<ul> <li>Ammonia Type Baking</li> </ul>			
	Potassium L-Bitartrate	-		
	Potassium DL-Bitartrate			
	Potassium Carbonate			
	Sodium Bicarbonate			
Seasonings	DL-Alanine	All foods		
	L-Arginine L-Glutamate			
	Calcium 5'-Ribonucleotide	_		
	Disodium 5'-Cytidylate	_		
	Disodium 5'-Guanylate	_		
	Disodium 5'-Inosinate			
	Disodium 5'-Ribonucleotide	_		
	Disodium Succinate	_		
	Disodium DL-Tartrate	_		
	Disodium L-Tartrate			
	Disodium 5'-Uridylate			
	L-Glutamic Acid			
	Glutamyl-valyl-glycine			
	Glycine	_		
	Monoammonium L-Glutamate		ļ	
	Monocalcium Di-L-	All foods	as calcium	
	Glutamate		1.00%	
			Not applied to	
			foods approved to	
			be labeled as	
			"special dietary	
			use."	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Monomagnesium Di-L-	All foods		
	Glutamate			
	Monopotassium Citrate			
	Monopotassium L-			
	Glutamate			
	Monosodium L-Aspartate			
	Monosodium Fumarate			
	Monosodium L-Glutamate			
	Monosodium Succinate			
	Potassium Chloride	-		
	Potassium Gluconate			
	Potassium Lactate	_		
Seasonings	Potassium Sulfate	All foods		
(continued)	Sodium Gluconate			
(continuou)	Sodium Lactate			
	Sodium DL-Malate	-		
	L-Theanine	-		
	Tripotassium Citrate	-		
	Trisodium Citrate	_		
Solvents or extracting	Acetone	Fats and oils		Only for extracting
agents		Cuerrana muta		components from such nuts in
		Guarana nuts		the process of the manufac-
				ture of guarana beverages or for fractionating components
				of fats or oils.
				Shall be removed before the preparation of the finished
				food.
	Glycerol	All foods		
	Hexane			Only for extracting fats or
				oils in manufacturing edible
				fats or oils.
				Shall be removed before
				the preparation of the
				finished food.
Stabilizer	Triethyl Citrate	Only capsule and tablet (except for	3.5g/kg	not Sweet
		chewable tablet).		
		Egg pulp	2.5g/kg	
		Dried egg	0.0 //	
0		Nonalcoholic beverages	0.2g/kg	
Sterilizer	Chlorous Acid Water	Milled rice Legumes/pulses	0.40g/kg dipping solution or spray	Shall be removed or decomposed before the
		Vegetables (excluding mushrooms)	liquid	preparation of the finished
		Fruits		product.
		Seaweeds Fresh fish/ shellfish (including fresh		"The preserved products"
		whale meat)		means foods preserved by
		Meat		drying, salting, or other
		Meat products		treatments.
		Whale meat products Preserved products of foods listed		
		above.		
	Dimethyl dicarbonate	Nonalcoholic beverages(except	0.25g/kg	
		mineral water)		
		Fruit wine(except wine)	0.25g/kg	4
	High-Test Hypochlorite	Wine All foods	0.20g/kg	
			0.00 - /	Con he was down by S
	Hydrobromous Acid Water	Meat (except Chicken)	0.90g/kg dipping solution or spray	Can be used only for sterilizing the surface of meat
			liquid (as bromine)	Stormizing the surrate of fileat
		Chicken	0.45g/kg dipping	4
		Unicken	0.45g/kg dipping solution or spray	
			liquid (as bromine)	
	1-Hydroxyethylidene-1•1-			Can be used only as peracetic
	Diphosphonic Acid			acid formulation
	1 1 1		1	1

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Hypochlorous Acid Water			Shall be decomposed or removed before the preparation of the finished food.
	Sodium Hypochlorite			Not permitted in sesame.
	Peracetic Acid			Can be used only as peracetic acid formulation
Sterilizer (continued)	Peracetic Acid Formulation	chicken	acid) and 0.136g/kg dipping solution or spray liquid (as 1- hydroxyethylidene -1,1-disulphonic	Can be used only for sterilizing the surface of beef, chicken, pork fruits and vegetables.
		beef and pork	acid) 1.80g/kg dipping solution or spray liquid (as peracetic acid) and 0.024 g/kg dipping solution or spray liquid (as 1- hydroxyethylidene -1,1-disulphonic acid)	
		fruits and vegetables	0.080g/kg dipping solution or spray liquid (as peracetic acid) and 0.0048 g/kg dipping solution or spray liquid (as 1- hydroxyethylidene -1,1-disulphonic acid)	
Flavoring agents or Peracetic acid formulation	Octanoic acid			Can be used only for flavoring and the use as peracetic acid formulation
Thickening agents or	Acetylated Distarch Adipate	All foods		
stabilizers	Acetylated Distarch Phosphate	All foods		
	Acetylated Oxidized Starch	All foods		
	Ammonium Alginate	All foods		
	Calcium Alginate	All foods		
	-		2.00%	
	Calcium Carboxymethylcellulose	All Todas	2.00/8	When used with one or more of the following additives, the total amount shall not be more than 2.0 % : Methyl Cellulose, Sodium Carboxymethylcellulose, and Sodium Carboxymethyl-stracl
	Distarch Phosphate	All foods		
	Hydroxypropyl Distarch Phospha			
	Hydroxypropyl Starch	All foods		
			0.001	
	Methyl cellulose	All foods	2.00%	When used with one or more of the following additives, the total amount shall not be more than 2.0 %: Calcium Carboxymethyl- cellulose, Methyl Cellulose, and Sodium Carboxymethyl- strach.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Monostarch Phosphate	All foods		
	Oxidized Starch	All foods	-	
	Phosphated Distarch Phosphate	All foods		
	Polyvinylpyrroridone	Capsule- and tablet-form foods		except for confectionary
		excluding confections		
	Potassium Alginate	All foods		
	Propylene Glycol Alginate	All foods	1.00%	
	Starch Sodium Octenyl Succinat			
	Starch Acetate	All foods		
	Sodium Alginate	All foods		
Thickening agents or stabilizers (continued)	Sodium Carboxymethylcellulose	All foods	2.00%	When used with one or more of the following additives, the total amount shall not be more than 2.0 %: Calcium Carboxymethyl- cellulose, Methyl Cellulose, and Sodium Carboxymethyl- strach.
	Sodium Carboxymethylstarch	All foods	2.00%	
				When used with one or more of the following additives, the total amount shall not be more than 2.0 %: Calcium Carboxymethyl- cellulose, Methyl Cellulose, and Sodium Carboxymethyl- cellulose.
	Sodium Polyacrylate	All foods	0.20%	
liscellaneous	Active Carbone	All foods		
Absorbent	Ammonia			
Brewing agent Fermentation regulator	Ammonium Dihydrogen			
Filtration aid	Phosphate			
Processing agent Quality improver	Ammonium Sulfate			
	Asparaginase	All foods		
	Calcium Citrate	All foods	as Ca	
	Calcium Dihydrogen Phosphate		1.0%	Only when indispensable for
			The above limits do not apply to	manufacturing or processing
	Calcium Dihydrogen Pyrophosphate		foods approved to	the food, or when used for nutritive purposes.
	Calcium Hydroxide		be labeled as ″special. dietary	
			use."	
	Calcium Monohydrogen			
	Phosphate			
Miscellaneous Absorbent Brewing agent Fermentation regulator	Calcium Silicate	capsules and tablets as foods for specified health uses and foods with nutrient function claims		Not permitted in human milk substitutes or weaning foods
Filtration aid Processing agent Quality improver (continued)		Other foods	2.00% When used with Silicon Dioxide (fine), the total amount shall not be more than 2.0 %.	
	Calcium Stearate	All foods	1.4.	
	Carbon Dioxide			
	Diammonium Hydrogen			
	Phosphate			
	Dipotassium Hydrogen	1		
	Phosphate		1	
	Disodium Dihydrogen	1	1	
	Disoulum Dinyurogen		1	
	Pyrophosphate			
	Pyrophosphate Disodium Hydrogen Phosphate			
	Pyrophosphate Disodium Hydrogen	All foods		

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Hydrochloric Acid	All foods		Shall be neutralized or removed before the preparation of the finished food.
	Ion Exchange Resins	All foods		Shall be removed before the preparation of the finished food.
	Isopropanol See the section, "Flavoring agents".	Нор	20g/kg Hop extract	Only for extracting Hop extract is limited to the substance that is added to the wort during the manufacturing of beer and low malt beer (including sparkling liquor).
		Fish meat	0.25g/kg Fish protein concentrate	Fish protein concentrate is fish meat from which the moisture and fat are removed
		Other foods	0.2g/kg Extracts of other foods	Extracts of other foods and products made of these extracts (except products made of hop extract and fish protein concentrate).
	Liquid Paraffin	Bread	as residue limit less than	Only for releasing dough in dividing by automatic dispenser or in baking.
	Magnesium Carbonate	All foods		
	Magnesium Chloride	]		
	Magnesium Monohydrogen Phosphate Magnesium Oxide	-		
	Magnesium Stearate	All foods		Only for capsules,tablets,etc.which are not usual food forms as well as tablet confectionery.
	Magnesium Silicate	All foods		Only as filtration aid for fats & oil . Shall be removed before the preparation of the finished food.
	Magnesium Sulfate	All foods		
Miscellaneous Absorbent Brewing agent	Natamycin	Natural Cheese (confined to the surface of hard and semi-hard cheeses)	less than 0.020 g/k	g
Fermentation regulator Filtration aid Processing agent Quality improver (continued)	Nitrous Oxide	Whip creams (referring to products obtained by whipping foods composed mainly of milk fat or foods made mainly of milk fat substitutes).		
	Oxalic Acid	All foods		Shall be removed before the preparation of the finished food.
	Phosphoric Acid	All foods		
	Polyvinylpolypyrrolidone			Only as filtration aid. Shall be removed before the preparation of the finished food.
	Potassium Dihydrogen	All foods		
	Phosphate			
	Potassium Hydroxide	All foods		Shall be neutralized or removed before the pre- paration of the finished food.
	Potassium Metaphosphate	All foods	1	
	Potassium Nitrate	Cheese	0.20 g/L of raw mil	k
		SAKE	0.10 g/L of raw ma	sh
	Potassium Polyphosphate	All foods	1	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
	Silicon Dioxide	All foods		Only as filtration aid. Shall be removed before the preparation of the finished food.
	Silicon Dioxide (fine)	All foods	2.0 % When used with foods except capsules and tablets as foods for specified health uses and foods with nutrient function claims Calcium Silicate, the total amount shall not be more than 2.0 %:	Not permitted in human milk substitutes or weaning foods
	Sodium Acetate	All foods		
	Sodium Carbonate			
	Sodium Dihydrogen			
	Phosphate			
	Sodium Hydroxide	All foods		Shall be neutralized or removed before the
	Sodium Hydroxide			preparation of the finished
	Solution			food.
	Sodium Metaphosphate	All foods		
	Sodium Methoxide	All foods		Shall be decomposed before the preparation of the finishe product, then the methanol produced during the decomposition shall be removed.
	Sodium Polyphosphate	All foods		
	Sodium Pyrophosphate			
	Sodium Sulfate			
	Sulfulic Acid	All foods		Shall be neutralized or removed before the preparation of the finished
	Zinc Sulfate	Sparkling liquor	as Zn 0.0010g/kg	
Miscellaneous Absorbent Brewing agent Fermentation regulator Filtration aid Processing agent Quality improver (continued)		All foods	as Ca 1.0% The above limits do not apply to foods approved to be labeled as "special. dietary use."	Only when indispensable for manufacturing or processing the food, or when used for nutritive purposes.
	Trimagnesium Phosphate	All foods		
	Tripotassium Phosphate			
	Trisodium Phosphate			
	Water-insoluble minerals:			When two or more of the additives listed in this sectio
	Acid Clay Bentonite		as maximum residue limit	are used together, the total o each residue amount shall no
	Diatomaceous Earth	All foods	0.50%	be more than 0.50 %.
	Kaolin	Chewing gum (when talc is only	5.0 % *	Only in case where its use is
	Perlite	used)*		indispensable for manufactur or processing of food.
	Sand	useu/		er proceeding of rood.
	Talc <sup>*</sup> Other Similar Substances			

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Miscellaneous Absorbent Brewing agent Fermentation regulator Filtration aid Processing agent Quality improver, etc. (continued)	Dipotassium L-Tartrate	Grape juice for winemaking Wine		
	Metatartaric Acid	Wine	not more than 0.10g per 1kg of wine	
	Calcium Carbonate Ⅱ*	Grape juice for winemaking Wine		
	*The specifications of the already designated Calcium Carbonate has been renamed those of Calcium Carbonate I and separate specifications have been formulated with the name of Calcium Carbonate II. (Revision on 4 Dec., 2020)			
	Ammonium Hydrogen Sulfite Water	Grape juice for winemaking Wine	as Ammonium Hydrogen Sulfite not more than 0.2g per 1L of wine	When used for grape juice for wine making, the additive is deemed to be used in wine.
			Sulfur Dioxide shall not remain more than 0.35g per 1kg of wine (excluding squeezed grape juice for winemaking containing 1% by volume or more of ethanol and its concentrate).	
	Chitin-Glucan	Grape juice for winemaking Wine	not more than 5g per 1L of wine	Shall be removed before the preparation of the finished food.
	Dipotassium DL-Tartrate	Wine		
	Copolymer of Vinylimidazole/Vinylpyrrolidone	Grape juice for winemaking Wine	not more than 0.50g per 1L of wine	When used for grape juice for wine making, the additive is deemed to be used in wine.
				Shall be removed before the preparation of the finished food.